

, of P	Test Procedure		Type of Test		Measured Value		SAII
Me Lectric Au			Test Results				SAIN
	Test	Date	20 <sup>th</sup> May 2022				© V
ited SAII	Controller	ID	LC60V250		Rating	60V / 5A	Limite
ited SAIT MIS	Power	Make	M/s Lectric Automation Private Lin	nited			),
Jate Lin.	Motor	ID	LM60V250	Ma	ax Power(kW)	0.196	Ping
vate limited SP	Traction	Make	M/s Lectric Automation Private Limited				
alion Private L	Battery Nomin	al Voltage (V)	Sant Mis Leaving Private Limited Sant Mis Leaving Automation Sant Mis Leaving Automation Private Limited Sant				Sh
Pillate	ULR NO. TC536	022150000477F	Litotratit CAIT M'S Private		Lectric te lin	Automos .	SAIT ME Lectif
jic <sup>k</sup>	CTOPR	0657	on Private Lectric	Limited	Pullor Date :	20 <sup>th</sup> May 2022	" Lec'il
Litomatio.	CAINING	or Private	s Lectro so Limites Rutoman	SA	ILAM HOT Pr	Ms Fect	ic limite :
AMS Lectric And American Straight Commencer Co	All Age To the State of the Sta	Trivate Linited	SAM MS LE BANG PRIVATE LINITED SAM MS LECTIC AUTOMATICALISMENT PRIVATE	in Private	Limited SAN Autom	ate linites iic Autor	igion de chil
Lectric A			SAIT MIS ION PRIVATE IS LECTIC	,	jinited suton	atio, SAIL III	ation Prime
	io, VIL	- Pila	, c	AUTO	SA	on Pr	, die

## **Test Results**

Z <sub>W</sub>	Test Procedure	Type of Test	Measured Value			
Automation Y		Vehicle maximum 30 minute speed	23.4 km/h			
ζ,		Vehicle maximum 30 minute power	0.179 kW at 19 km/h			
Private Lin			Speed Power (km/h) (kW)			
ijol			Qi <sup>1</sup> 22 go <sup>2</sup> 0.165			
Limited SAIN	AIS-041:2003		Haring 19 Haring Pilage 0.176 Stick			
e Limit		Vehicle net power	0.196 O.196			
Miste			13 the 13 the 10 10 10 10 10 10 10 10 10 10 10 10 10			
ad SAIN MIS'S			0.186			
ic Aute			7 100 PM 0.147 1100 PM			
Ms Lectric Auto	1. The tests wen	e conducted as per the requirements of AIS-	041:2003 Autoria d Salis Rajion			
<sup>An</sup>	Remarks:- 2. Tests were co	nducted by powering the vehicle using exter	nal power supply after disconnecting the			

- 2. Tests were conducted by powering the vehicle using external power supply after disconnecting the vehicle battery. ate limit
- 3. Tests were conducted at ICAT Centre-1, Manesar.

. 113			- O.L.	Mr. Sign		20.	10
4.	Domonico	2. Tests were con	ducted by powering	the vehicle using ex	ternal power supply	after disconnecting	the 🕟
201	Remarks:-	vehicle battery.	, Rui	, 10ii	15	, ich	60
ation		2 Tests were sen	ducted at ICAT Con	tro 1 Managar	4 Mills	/sc	inni
, jon'		3. resis were con	ducted at ICAT Cen	tre-1, ivianesar.	All	MS	Xe V
CPO	atio	· 4m	OLIVO.	tile the	Mali	ut pi	
	AUTHORISED SI	SNATORY		Se liku	njio" d	Sh	15
ail/aie	AU	Prepared By	Maile Mis	COP AU	Chec	ked By	15 km
Dilyo	Citil	Linn Suite	o, CVIL	WIRE FUN AUTOMOS	2	Allie	SPI
ion'	15	s "ilo r	1692,	12/0	orivate	citic ite	a a
, 4	N. Pila	Coch	inite	SE TOAT	100 V	Lect Limite	
SAIR	dilon	MIS	ie L.	Innovation - Service - Excellence	ation whi	a die	
69%	20+104,002220+104,002200+104,002220+104,002220+104,002220+104	y23220004May(2 <mark>02200</mark> +May(2022200+May(202200+May(20200+May(202200+May(20200+May(202200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(20200+May(2020+May(2020+May(20200+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000+May(2000	ужи 2200 г.М. и 22220 г.М. и 22	13	TOP ROSS 7CT TOP	ROSS/CTOPROSS/CTOPROSS/CTOPROSS/CTOPROSS/CTOPROSS/CTOPROSS/CTOPROSS/	COLL
Limit		UMESH SAINI		*MANESAR *	ENOC	H EAPEN	Page 2 of
ž Č		Asst. Manager		No. OC.	in Ma	nager	2 <
15/00	**/	V.		1.	ate P	JII SA	ion,
M	ailyale	rio T	3d alilo,	14/4.	Privio ctric	diffec	Mar
all	ζ,,	oct in	, off,	SA.	0,	ill.	- Jiv