



C	T	O	P	R	0665
---	---	---	---	---	------

Date : 25<sup>th</sup> May 2022

ULR NO.	TC536022150000485F
---------	--------------------

<b>Battery Nominal Voltage (V)</b>		48		
<b>Traction Motor</b>	<b>Make</b>	M/s Kadesetla Aashirwad GP Industries Pvt. Ltd.		
	<b>ID</b>	KM48V250	<b>Max Power(kW)</b>	0.103
<b>Power Controller</b>	<b>Make</b>	M/s Kadesetla Aashirwad GP Industries Pvt. Ltd.		
	<b>ID</b>	KC48V250	<b>Rating</b>	48V / 4.4A
<b>Test Date</b>		25 <sup>th</sup> May 2022		
<b>Test Results</b>				
<b>Test Procedure</b>	<b>Type of Test</b>	<b>Measured Value</b>		
AIS-041:2003	<b>Vehicle maximum 30 minute speed</b>	10.5 km/h		
	<b>Vehicle maximum 30 minute power</b>	0.099 kW at 10.5 km/h		
	<b>Vehicle net power</b>	<b>Speed (km/h)</b>	<b>Power (kW)</b>	
		13	0.083	
		11	0.091	
		9	0.103	
		7	0.092	
		5	0.069	
		3	0.042	
<b>Remarks:-</b>	1. The tests were conducted as per the requirements of AIS-041:2003, 2. Tests were conducted by powering the vehicle using external power supply after disconnecting the vehicle battery. 3. Tests were conducted at ICAT Centre-1, Manesar.			

**AUTHORISED SIGNATORY**

<b>Prepared By</b>	<b>Checked By</b>	
<b>JASMEET SINGH</b> Engineer	 <b>ENOCHEAPEN</b> Manager	
	Page 2 of 2	