

sited Ober	*e Linited	te limited	Limited
J. Limited Ober	Piblig E	rivat Joha	o Mis Obdu Abri
Js Obdu h	Vie Opgn,	obdu Ar.	on's Obde
, Goi	Date: 20 th Jun	e 2022	, eg 0,

Suz	Test Procedure		edure Type of Test Measured Value		Measured Value	JEO ME	
Private Limited			Test Results				
.,teg	Test	Date	18 th June 2022			S.c.	
CO W.	Controller	ID	OBD48250W	Rating	48V / 5A	Pilyaje	
pedeo Misop	Power	Make	M/s Obdu Alpha Private Limited			3	
Traction Motor	ID	250W	Max Power(kW)	0.131	ICO MIE		
i die lin	Traction	Make	M/s Wuxi Sinotech Import & Export Co. Ltd.				
beaco :	Battery Nomin	al Voltage (V)	Inted Obey Company of the Limited Obey Company of the Limi				
Joe HO Wilson	ULR NO. TC536	022150000597F	De CO. De CO Med Oper	inited Or	ob linited water	Japa Pri	
Alla binate lift	C T O P R	0778	ited Obey Co Mis Obdu Apha Private Linited Obey Co Mis Obdu Apha Priva	inate linited obey Divate on the Object of t	: 20th June 2022	nited Ober	
Private	Pilyate	Myligh	" Why " Why " " The Halles	Obdu.	ophy, Me ox	50°	
.nited	illed I	Tipe of water	Singe Linge III	ingie Mhya by	White by White bu	AU Alpha	
is the obey COM		Dogo Nilate Life	liked Ob inited Ob inited Ob	Limited	lin givate lin svate lin	, ,	
S	115	- ONIS		Open	rited rited	ited.	

Test Results

100						
	Test Procedure	Type of Test	Measured Value 19.2 km/h		7	
Obdu Alph		Vehicle maximum 30 minute speed				
		Vehicle maximum 30 minute power	0.119 kW at	16.5 km/h	il Jay	
inited 00			Speed (km/h)	Power (kW)		
			NOT PIP 18 000	0.107	NS O	
Opdil Pilot.	AIS-041:2003		16 6	0.123		
J.		Vehicle net power	14	0.125	im	
Opens			ate Line 12 Nate	airyate 0.131 Private	Ž,	
ed Openic			ANTO ANTO	0.119	O'S	
Pilyate			15 Oppy 8 Oppy	0.100	N ₂	
pho Pingis	1. The tests we	ere conducted as per the requirements of AIS-	041:2003	30 90 90 P	.34.	
	2. Tests were o	conducted by powering the vehicle using exter	nal power supply after di	sconnecting the	Limit	

- 2. Tests were conducted by powering the vehicle using external power supply after disconnecting the vehicle battery. Joha Pri wie Jim
- 3. Tests were conducted at ICAT Centre-1, Manesar.

111		11			27	\	3 8		ilio
300	Remarks:-	2. Tests were con-	ducted by powering	g the vehicle using	external powe	r supply after (disconnecting	the	Tilli
ÇO /	Remarks	vehicle battery.	- ey	of the contract of the contrac	by:	ileo		aje	
"Sel		3 Tests were con	ducted at ICAT Cen	tre-1 Manesar	Lim		Silvale .	Bills	Q'
904		The second were con	ducted at Text Cert	tre 1, mariesar.	Jajo :	yaile ,	×	ohio	"Ks
iitee .	2 \	ii.	idale	6,	ζ'	, albi	, , , , , , , , , , , , , , , , , , ,		V VIA
Silvo	AUTHORISED SI	- 44	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Skin 10 his	- Miles		0,000	0,00	
Mak	Q*	Prepared By	Mbl. gn,	COR AUT	65	Checked B	y Mis	Ms	4
VIG.	PIBI	Albira Main	,	CHIPPETONACIONAC		M	(CO)	20 N	(60
policy of	المن المان), Ot	OW	A P		000	7	Miles E	0,000
, NIS	, 00	6 Pli	360	PCAT	臣 00°	.*60	60.		
- O ENI,	- Wis		Ope, Ope,	Innovation - Service - Excellence		Likhit	inite	3	
2	00+June202200+June202200+June202200+June20222	07.1.m200000000000000000000000000000000000	00/ki.me202220hi.me202220hi.me202220hi.me202220hi.me2022	Will state of the	Торнотивсторнотивсторнотивст	PREV78CTSPREQ78CTGPRE778CTGPRE778CTSPRE77ECTGPRE	778GT0996778G36990778CT0990778CT0996778	(O)	84
0,00	Ope, "46	RAJAT KUMAR	Limit	MANESAH	Q ²	MONAL HAS	TI 🞺	Page 2 of	10/13
ϕ_{∞}	inni	Engineer		se oil	100	Manager		2	Pil
Limie	, xe	Pris	Print Print	bha	"I by	Mb.	PIL	Opos	
, jie	Plin	Mario 101	10 100	III	Opor	Oppn	Opgli	MS	٠,0
://	. 0	K. Oll	r IV	0				1-	.()