



C A S N 0199 V01

Date : 08<sup>th</sup> February 2024

**ANNEXURE - I**

Rule No.	Sub Rule(s)	Compliance Verified For			Standard		
119	(1) & (2)	Horns	Installation		IS-15796:2008		
			Limit :	87 dB(A) to 112 dB(A)			
			Observed :	95.2 / 99.1 / 90.8 dB(A)	IS-1884:1993		
120	(1)	Silencers			IS-3028:1998		
		Pass by Noise	Limit :	74 dB(A)			
	(2)		Observed :	69 dB(A)			
122	(1) & (2)	Embossment of chassis number & engine number & month of manufacture (Ref: Table 11 of the Technical Specifications)			AIS-065:2005		
124	Refer Annexure-IA & IB	Safety standards of components as applicable			-		
125	(1), (1A) & (5)	Safety Belt, Seats & their Anchorages			IS-15140:2003, IS-15139:2002 & IS-15546:2005		
	(2)(c)	Rear View Mirror	Specifications		AIS-001 (Part 1) (Rev.1):2011		
			Installation		AIS-002 (Part 1)(Rev.1):2011		
	(8)	Child Restraint System			AIS-072:2009		
138	(9) & (9A)	Additional Safety features for Category M & N Vehicles			AIS-145:2017		
	(4) (c)	Warning Triangles-Size & Specifications			AIS:022-2001		

**ANNEXURE - IA**

Rule 124 (1) Table Sr. No.	Parts / Components / Assemblies	Standard	4 Wheelers (M1 Category)
1(a) & 1(c)	Automobiles lamps (bulbs)	AIS-034 (Part 1) (Rev.1):2010	✓
2	Hydraulic brake hose (if fitted)	IS-7079:2008	✓
3	Hydraulic brake fluid (if fitted)	IS-8654:1986	✓
5(b)	Requirement for behavior of steering mechanism of a vehicle in a Head-on Collision	AIS-096:2008	✓
5(c)	Protection of Occupants in the event of an Offset Frontal collision	AIS-098:2008	✓
6(b)	Approval of vehicle with regard to the Protection of Occupants in the event of a Lateral Collision	AIS-099:2008	NA
6(c)	Approval of vehicle with regard to the Protection of Pedestrian and other Vulnerable Road User in the event of a collision with a Motor Vehicle	AIS-100:2010	✓
7(a)	Fuel Tank (Metallic)	AIS-095:2007	✓
8(a)	Wheel Rims	IS-9436:1980	✓
11	External Projections	AIS-120:2014	✓
13	Wheel Guards	IS-13943:1994	✓
14	Wheel Nuts, Disc & Hub Caps	IS-13941:1994	✓

**AUTHORISED SIGNATORY**

JAYWANT HARDIKAR  
HEAD-CMVR



SAURABH DALELA  
DIRECTOR

