



S, OSHI COME INS		ME WEOSHICOM	IROSHI COMI	interino de la companya del companya del companya de la companya d	THE THE PARTY OF T			
205th Cleributors tilk	aran Distributors Little	July Patar Dietitut	ME Patari Distributors HROS	ALL DERIBOR	C-5360  Date: V06th June 2022	atath		
Man Diss	of the state of t	Para Complet	TEST REPORT	SHICO THE PARTY OF TO	C-5360  Date: No6th June 2022	, <sub>H</sub> , <sub>CO1</sub>		
Si stribitors High	TESTIDITUTE HIE	0517F	TYPE APPRO	VAL Param Jestidade	Date: No <sup>th</sup> June 2022 Hill Coult in the Param In the Par	Jistibut.		
"DI	Objective of th	he test	O'0 X	Vehicle Manufa	acturer	20m		
631.0	To conduct type approv		M/s Param Distributor					
EDNET ME Patari	Jen. C.	S-041:2003	Khasra No. 103/2G, Param Filling Station Petrol Pump, BPCL Petrol Pump Chhola Road, Near Chhola Vishram Ghat, Bhopal, Madhya Pradesh, 462 001					
~05x.		Vehicle Model		Test Vehicle				
SOM HROSHIC		HIROSHI COMET		all of	d vehicle 2W less than 250 Watt	× 41/		
still aram Di			ate:- 06 <sup>th</sup> May 2022	Vehicle received at VTL	04" June 2022			
an Me Palam D	Frame No.	CJC80	02022010J08	Unladen weight (kg)	66			
MET NO.	Road Load Equation F=N, V=km/h	D	.0221 v <sup>2</sup> + 140 dv/dt	Equivalent Inertia (kg) 140				
ME HROSHI CO	Coast down Procedure	As per part XIII c	As per part XIII of MoRTH/CMVR/TAP-115/116. (Amendment No.1)					
Outors In	Test Procedure	As per AIS-041:2		- Aging Patag	" " S Pata " S Pato			
cam Di	Test Equipment	<i>N</i> .	Make		Туре			
Butters at an Distribu	Chassis Dyno	AVL Z	Collner GmbH, GMBH	9557		is HIR		
, YI COMP	Cooling Fan	AVL Z	Collner GmbH, GMBH	IIIEO HILL	Air Stream Fan 175 Deithyld			
Mis HIROSHI COMET	Driver Aid	AVL Z	collner GmbH, GMBH	Distriby Ole	rigg - Diegg Astron	Spara		
Distribu	Power Supply	atill aran Die	Aplab	Safar. Safa.	DC Power Supply			
JE Patern Distributor	Sparo. Will Mis bay	WELL WIE B.O.	AFT ONE THE ONE THE	EHI OF THE OF	WE SHI COM. HISOSHI CO. AIR	205HI		
()	_();		0,		Please turn over for DISCLAIMER			

AS PAID	NE POOR ONE ONE POOR	AFT WE CONF. ON.	II COME	OSHI COMP	HIROSHI	IROSHII S
, co,	00,	95th 1203	120°	Please turn over	for DISCLAIMER	
SHI	AUTHORISED SIGNATORY	HIRE SHI	e vie	o ibulie stribe	istill	Die
HIRO : S	Prepared By	Checked By	THE FOR AUTOMO	Approved By	Figures A	atam
atam Distributor	Param Distribute Param Distri	K Me Patan De Me Patan	Innoverion - Service - Excellence	S CONFLET IN CONFLET IN	See Andreas	OSHII COT
Mis	ADITYA KUMAR	DEEPAK JOSHI	* MANESAR *	VIKAS SADAN	Page 1 of	
alk)	Engineer	Manager	20-	Dy. General Manager	*3°	· · · ·
SHI COL	205HI	s HIROST , OF HIROS	ibutots kill	istibutors Distributors	am Distribu.	Ram Distric
istributors .	Distributo, Distributo	n Distibute agam Dist	batatu Dir	ish D. We Latah	Rate Mis Sio	