



C O U S 0056

Date : 18<sup>th</sup> January 2025


ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	BDT3AFB 25FT-500 FB TR	7,530	4,995	(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000	6,015	R1 to R3 ≤ 3m
2	BDT3AFB 25FT-500 SKL TR	7,530	4,995		5,495	
3	BDT3AFB 25FT-500 SW TR	7,530	4,995		6,685	
4	BDT3AFB 26FT-600 FB TR	7,930	5,080		6,015	
5	BDT3AFB 26FT-600 SKL TR	7,930	5,080		5,495	
6	BDT3AFB 26FT-600 SW TR	7,930	5,080		6,935	
7	BDT3AFB 28FT-800 FB TR	8,540	5,320		6,265	
8	BDT3AFB 28FT-800 SKL TR	8,540	5,320		5,715	
9	BDT3AFB 28FT-800 SW TR	8,540	5,320		7,165	
10	BDT3AFB 30FT-850 FB TR	9,150	5,650		6,520	
11	BDT3AFB 30FT-850 SKL TR	9,150	5,650		5,970	
12	BDT3AFB 30FT-850 SW TR	9,150	5,650		7,420	
13	BDT3AFB 32FT-850 FB TR	9,760	6,240		6,470	
14	BDT3AFB 32FT-850 SKL TR	9,760	6,240		6,220	
15	BDT3AFB 32FT-850 SW TR	9,760	6,240		7,440	
16	BDT3AFB 34FT-750 FB TR	10,370	7,010		6,970	
17	BDT3AFB 34FT-750 SKL TR	10,370	7,010		6,420	
18	BDT3AFB 34FT-750 SW TR	10,370	7,010		7,940	


\*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

  
**JAYWANT HARDIKAR**  
 HEAD-CMVR



  
**SAURABH DALELA**  
 DIRECTOR



C O U S 0056

Date : 18<sup>th</sup> January 2025

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
19	BDT3AFB 36FT-750 FB TR	10,980	7,420	(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000	7,055	R1 to R3 ≤ 3m
20	BDT3AFB 36FT-750 SKL TR	10,980	7,420		6,805	
21	BDT3AFB 36FT-750 SW TR	10,980	7,420		8,255	
22	BDT3AFB 40FT-750 FB TR	12,310	8,450		7,315	
23	BDT3AFB 40FT-750 SKL TR	12,310	8,450		7,105	
24	BDT3AFB 40FT-750 SW TR	12,310	8,450		8,650	
25	BDT3AFB 41FT-880 FB TR	12,585	8,340		7,315	
26	BDT3AFB 41FT-880 SKL TR	12,585	8,340		7,105	
27	BDT3AFB 41FT-880 SW TR	12,585	8,340		8,650	
28	BDT3AFB 41FT-880 FB TR B	12,585	8,340		7,315	
29	BDT3AFB 41FT-880 SKL TR B	12,585	8,340		7,105	
30	BDT3AFB 41FT-880 SW TR B	12,585	8,340		8,650	
31	BDT3AFB 42FT-800 FB TR	12,810	8,500		7,315	
32	BDT3AFB 42FT-800 SKL TR	12,810	8,500		7,105	
33	BDT3AFB 42FT-800 SW TR	12,810	8,500		8,650	
34	BDT3AFB 43FT-800 FB TR	13,110	8,750		7,315	
35	BDT3AFB 43FT-800 SKL TR	13,110	8,750	7,105		
36	BDT3AFB 43FT-800 SW TR	13,110	8,750	8,650		

\*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR  
HEAD-CMVR



SAURABH DALELA  
DIRECTOR





C O U S 0056

Date : 18<sup>th</sup> January 2025

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
37	BDT3AFB 34FT-1100 FB TR	10,370	6,600	MMM - 55,000	6,970	R1 to R3 < 3m
38	BDT3AFB 34FT-1100 SKL TR	10,370	6,600		6,420	
39	BDT3AFB 34FT-1100 SW TR	10,370	6,600		7,940	
40	BDT3AFB 36FT-1100 FB TR	10,980	7,010		7,055	
41	BDT3AFB 36FT-1100 SKL TR	10,980	7,010		6,805	
42	BDT3AFB 36FT-1100 SW TR	10,980	7,010		8,255	
43	BDT3AFB 40FT-1150 FB TR	12,310	8,270		7,315	
44	BDT3AFB 40FT-1150 SKL TR	12,310	8,270		7,105	
45	BDT3AFB 40FT-1150 SW TR	12,310	8,270		8,650	
46	BDT3AFB 41FT-1150 FB TR	12,585	8,340		7,315	
47	BDT3AFB 41FT-1150 SKL TR	12,585	8,340		7,105	
48	BDT3AFB 41FT-1150 SW TR	12,585	8,340		8,650	
49	BDT3AFB 41FT-1150 FB TR B	12,585	8,340		7,315	
50	BDT3AFB 41FT-1150 SKL TR B	12,585	8,340		7,105	
51	BDT3AFB 41FT-1150 SW TR B	12,585	8,340		8,650	
52	BDT3AFB 42FT-1100 FB TR	12,810	8,500		7,315	
53	BDT3AFB 42FT-1100 SKL TR	12,810	8,500	7,105		
54	BDT3AFB 42FT-1100 SW TR	12,810	8,500	8,650		

\*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.


R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR  
HEAD-CMVR



SAURABH DALELA  
DIRECTOR





C O U S 0056

Date : 18<sup>th</sup> January 2025

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
55	BDT3AFB 43FT-1100 FB TR	13,110	8,750	MMM - 55,000	7,315	R1 to R3 < 3m
56	BDT3AFB 43FT-1100 SKL TR	13,110	8,750		7,105	
57	BDT3AFB 43FT-1100 SW TR	13,110	8,750		8,650	
58	BDT3AFB 26FT FB SA	8,120	5,900	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	6,015	R1 to R3 > 3m & R2 to R3 < 1.8m
59	BDT3AFB 26FT SKL SA	8,120	5,900		5,495	
60	BDT3AFB 26FT SW SA	8,120	5,900		6,935	
61	BDT3AFB 28FT FB SA	8,540	6,175		6,265	
62	BDT3AFB 28FT SKL SA	8,540	6,175		5,715	
63	BDT3AFB 28FT SW SA	8,540	6,175		7,165	
64	BDT3AFB 30FT FB SA	9,150	6,455		6,520	
65	BDT3AFB 30FT SKL SA	9,150	6,455		5,970	
66	BDT3AFB 30FT SW SA	9,150	6,455		7,420	
67	BDT3AFB 32FT FB SA	9,760	7,045		6,470	
68	BDT3AFB 32FT SKL SA	9,760	7,045		6,220	
69	BDT3AFB 32FT SW SA	9,760	7,045		7,440	
70	BDT3AFB 34FT FB SA	10,370	7,665		6,970	
71	BDT3AFB 34FT SKL SA	10,370	7,665		8,420	
72	BDT3AFB 34FT SW SA	10,370	7,665		7,940	

\*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR  
HEAD-CMVR



SAURABH DALELA  
DIRECTOR





C O U S 0056

Date : 18<sup>th</sup> January 2025

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
73	BDT3AFB 36FT FB SA	10,980	8,215	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	7,055	R1 to R3 > 3m & R2 to R3 < 1.8m
74	BDT3AFB 36FT SKL SA	10,980	8,215		6,805	
75	BDT3AFB 36FT SW SA	10,980	8,215		8,255	
76	BDT3AFB 40FT FB SA	12,310	8,905		7,315	
77	BDT3AFB 40FT SKL SA	12,310	8,905		7,105	
78	BDT3AFB 40FT SW SA	12,310	8,905		8,650	
79	BDT3AFB 41FT FB SA	12,585	8,995		7,315	
80	BDT3AFB 41FT SKL SA	12,585	8,995		7,105	
81	BDT3AFB 41FT SW SA	12,585	8,995		8,650	
82	BDT3AFB 41FT FB SA B	12,585	8,995		7,315	
83	BDT3AFB 41FT SKL SA B	12,585	8,995		7,105	
84	BDT3AFB 41FT SW SA B	12,585	8,995		8,650	
85	BDT3AFB 42FT FB SA	12,810	9,155		7,315	
86	BDT3AFB 42FT SKL SA	12,810	9,155		7,105	
87	BDT3AFB 42FT SW SA	12,810	9,155		8,650	
88	BDT3AFB 43FT FB SA	13,110	9,405		7,315	
89	BDT3AFB 43FT SKL SA	13,110	9,405		7,105	
90	BDT3AFB 43FT SW SA	13,110	9,405		8,650	

\*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.


R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR  
HEAD-CMVR



SAURABH DALELA  
DIRECTOR





C O U S 0056

Date : 18<sup>th</sup> January 2025


ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
91	BDT3AFB 25FT SKL IND	7,770	4,880	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	5,195	R1 to R3 > 3m
92	BDT3AFB 25FT FB IND	7,770	4,880		5,765	
93	BDT3AFB 25FT SW IND	7,770	4,880		6,685	
94	BDT3AFB 26FT SKL IND	8,060	5,100		5,495	
95	BDT3AFB 26FT FB IND	8,060	5,100		6,015	
96	BDT3AFB 26FT SW IND	8,060	5,100		6,935	
97	BDT3AFB 28FT SKL IND	8,720	5,560		5,715	
98	BDT3AFB 28FT FB IND	8,720	5,560		6,265	
99	BDT3AFB 28FT SW IND	8,720	5,560		7,165	
100	BDT3AFB 30FT SKL IND	9,150	5,910		5,970	
101	BDT3AFB 30FT FB IND	9,150	5,910		6,520	
102	BDT3AFB 30FT SW IND	9,150	5,910		7,420	
103	BDT3AFB 32FT SKL IND	9,760	6,600		6,220	
104	BDT3AFB 32FT FB IND	9,760	6,600		6,470	
105	BDT3AFB 32FT SW IND	9,760	6,600		7,440	
106	BDT3AFB 34FT SKL IND	10,370	7,210		6,420	
107	BDT3AFB 34FT FB IND	10,370	7,210		6,970	
108	BDT3AFB 34FT SW IND	10,370	7,210		7,940	


\*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

  
**JAYWANT HARDIKAR**  
 HEAD-CMVR



  
**SAURABH DALELA**  
 DIRECTOR



C O U S 0056

Date : 18<sup>th</sup> January 2025

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
109	BDT3AFB 36FT SKL IND	10,980	7,560	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	6,805	R1 to R3 > 3m
110	BDT3AFB 36FT FB IND	10,980	7,560		7,055	
111	BDT3AFB 36FT SW IND	10,980	7,560		8,255	
112	BDT3AFB 40FT SKL IND	12,310	8,450		7,105	
113	BDT3AFB 40FT FB IND	12,310	8,450		7,315	
114	BDT3AFB 40FT SW IND	12,310	8,450		8,650	
115	BDT3AFB 41FT SKL IND	12,585	8,340		7,105	
116	BDT3AFB 41FT FB IND	12,585	8,340		7,315	
117	BDT3AFB 41FT SW IND	12,585	8,340		8,650	
118	BDT3AFB 41FT SKL IND B	12,585	8,340		7,105	
119	BDT3AFB 41FT FB IND B	12,585	8,340		7,315	
120	BDT3AFB 41FT SW IND B	12,585	8,340		8,650	
121	BDT3AFB 42FT SKL IND	12,810	8,500		7,105	
122	BDT3AFB 42FT FB IND	12,810	8,500		7,315	
123	BDT3AFB 42FT SW IND	12,810	8,500		8,650	
124	BDT3AFB 43FT SKL IND	13,110	8,750		7,105	
125	BDT3AFB 43FT FB IND	13,110	8,750	7,315		
126	BDT3AFB 43FT SW IND	13,110	8,750	8,650		

\*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR  
HEAD-CMVR



SAURABH DALELA  
DIRECTOR

