



C O U S 0096

Date : 29th January 2025

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	HME 28FT SKT IA H	8,645	5,303	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	7,300	R1 to R3 > 3m
2	HME 28FT SKT IA R	8,645	5,303		7,300	
3	HME 28FT SKT IA O	8,645	5,303		7,300	
4	HME 29FT SKT IA H	8,870	5,210		7,450	
5	HME 29FT SKT IA R	8,870	5,210		7,450	
6	HME 29FT SKT IA O	8,870	5,210		7,450	
7	HME 31FT SKT IA H	9,527	5,959		7,800	
8	HME 31FT SKT IA R	9,527	5,959		7,800	
9	HME 31FT SKT IA O	9,527	5,959		7,800	
10	HME 32FT SKT IA H	9,832	6,264		7,900	
11	HME 32FT SKT IA R	9,832	6,264		7,900	
12	HME 32FT SKT IA O	9,832	6,264		7,900	
13	HME 33FT SKT IA H	10,137	6,569		8,050	
14	HME 33FT SKT IA R	10,210	6,640		8,050	
15	HME 33FT SKT IA O	10,137	6,569		8,050	
16	HME 34FT SKT IA H	10,442	6,874		8,200	
17	HAS-IA-33FT-SKT	10,280	6,270		8,200	
18	HME 34FT SKT IA R	10,442	6,874		8,200	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR
HEAD-CMVR



SAURABH DALELA
DIRECTOR





C O U S 0096

Date : 29th January 2025

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
19	HME 34FT SKT IA O	10,442	6,874	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	8,200	R1 to R3 > 3m
20	HME 35FT SKT IA H	10,865	6,435		8,350	
21	HME 35FT SKT IA R	10,865	6,435		8,350	
22	HME 35FT SKT IA O	10,865	6,435		8,350	
23	HME 36FT SKT IA H	11,052	6,732		8,500	
24	HME 36FT SKT IA H	11,052	6,732		8,500	
25	HME 36FT SKT IA O	11,052	6,732		8,500	
26	HME 37FT SKT IA H	11,357	6,732		8,650	
27	HME 37FT SKT IA R	11,357	6,732		8,650	
28	HME 37FT SKT IA O	11,357	6,732		8,650	
29	HME 38FT SKT IA H	11,662	6,732		8,800	
30	HME 38FT SKT IA R	11,662	6,732		8,800	
31	HME 38FT SKT IA O	11,662	6,732		8,800	
32	HME 39FT SKT IA H	11,966	6,731		9,050	
33	HME 39FT SKT IA R	11,966	6,731	9,050		
34	HME 39FT SKT IA O	11,966	6,731	9,050		
35	HME 28FT SKT 1+2A H	8,645	5,953	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	7,300	R1 to R3 > 3m & R2 to R3 < 1.8m
36	HME 28FT SKT 1+2A R	8,645	5,953		7,300	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR
HEAD-CMVR



SAURABH DALELA
DIRECTOR





C O U S 0096

Date : 29th January 2025

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
37	HME 28FT SKT 1+2A O	8,645	5,953	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	7,300	R1 to R3 > 3m & R2 to R3 < 1.8m
38	HME 29FT SKT 1+2A H	8,870	5,860		7,450	
39	HME 29FT SKT 1+2A R	8,870	5,860		7,450	
40	HME 29FT SKT 1+2A O	8,870	5,860		7,450	
41	HME 31FT SKT 1+2A H	9,527	5,959		7,800	
42	HME 31FT SKT 1+2A R	9,527	5,959		7,800	
43	HME 31FT SKT 1+2A O	9,527	5,959		7,800	
44	HME 32FT SKT 1+2A H	9,832	6,914		7,900	
45	HME 32FT SKT 1+2A R	9,832	6,914		7,900	
46	HME 32FT SKT 1+2A O	9,832	6,914		7,900	
47	HME 33FT SKT 1+2A H	10,137	7,224		8,050	
48	HME 33FT SKT 1+2A R	10,137	7,224		8,050	
49	HME 33FT SKT 1+2A O	10,137	7,224		8,050	
50	HME 34FT SKT 1+2A H	10,442	6,874		8,200	
51	HME 34FT SKT 1+2A R	10,442	6,874		8,200	
52	HME 34FT SKT 1+2A O	10,442	6,874		8,200	
53	HME 35FT SKT 1+2A H	10,865	6,435	8,350		
54	HME 35FT SKT 1+2A R	10,865	6,435	8,350		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR
HEAD-CMVR



SAURABH DALELA
DIRECTOR





C O U S 0096

Date : 29th January 2025


ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
55	HME 35FT SKT 1+2A O	10,865	6,435	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	8,350	R1 to R3 > 3m & R2 to R3 < 1.8m
56	HME 36FT SKT 1+2A H	11,052	7,389		8,500	
57	HME 36FT SKT 1+2A R	11,052	7,389		8,500	
58	HME 36FT SKT 1+2A O	11,052	7,389		8,500	
59	HME 37FT SKT 1+2A H	11,357	7,389		8,650	
60	HME 37FT SKT 1+2A R	11,357	7,389		8,650	
61	HME 37FT SKT 1+2A O	11,357	7,389		8,650	
62	HME 38FT SKT 1+2A H	11,662	7,389		8,800	
63	HME 38FT SKT 1+2A R	11,662	7,389		8,800	
64	HME 38FT SKT 1+2A O	11,662	7,389		8,800	
65	HME 39FT SKT 1+2A H	11,966	6,731		9,050	
66	HME 39FT SKT 1+2A R	11,966	6,731		9,050	
67	HME 39FT SKT 1+2A O	11,966	6,731		9,050	
68	HME 26FT SKT 3A H	7,930	4,700		(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000	
69	HME 26FT SKT 3A R	7,930	4,700	7,000		
70	HME 26FT SKT 3A O	7,930	4,700	7,000		
71	HME 28FT SKT 3A H	8,645	5,303	7,300		
72	HME 28FT SKT 3A R	8,645	5,303	7,300		


*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY


JAYWANT HARDIKAR
 HEAD-CMVR




SAURABH DALELA
 DIRECTOR



C O U S 0096

Date : 29th January 2025


ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)	
73	HME 28FT SKT 3A O	8,645	5,303	(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000	7,300	R1 to R3 < 3m	
74	HME 29FT SKT 3A H	8,870	5,210		7,450		
75	HME 29FT SKT 3A R	8,870	5,210		7,450		
76	HME 29FT SKT 3A O	8,870	5,210		7,450		
77	HME 31FT SKT 3A H	9,527	5,959		7,800		
78	HME 31FT SKT 3A R	9,527	5,959		7,800		
79	HME 31FT SKT 3A O	9,527	5,959		7,800		
80	HME 32FT SKT 3A H	9,832	6,264		7,900		
81	HME 32FT SKT 3A R	9,832	6,264		7,900		
82	HME 32FT SKT 3A O	9,832	6,264		7,900		
83	HME 33FT SKT 3A H	10,137	6,569		8,050		
84	HME 33FT SKT 3A R	10,137	6,569		8,050		
85	HME 33FT SKT 3A O	10,137	6,569		8,050		
86	HME 34FT SKT 3A H	10,442	6,874		8,200		
87	HME 34FT SKT 3A R	10,442	6,874		8,200		
88	HME 34FT SKT 3A O	10,442	6,874		8,200		
89	HME 35FT SKT 3A H	10,865	6,435		MMM - 55,000		8,350
90	HME 35FT SKT 3A R	10,865	6,435				8,350


*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY


JAYWANT HARDIKAR
 HEAD-CMVR




SAURABH DALELA
 DIRECTOR



C O U S 0096

Date : 29th January 2025


ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
91	HME 35FT SKT 3A O	10,865	6,435	(1) MMM - 55,000 (2) AAA - 48,500 (3) MMM - 55,000	8,350	R1 to R3 < 3m
92	HME 36FT SKT 3A H	11,052	6,732		8,500	
93	HME 36FT SKT 3A R	11,052	6,732		8,500	
94	HME 36FT SKT 3A O	11,052	6,732		8,500	
95	HME 37FT SKT 3A H	11,357	6,732		8,650	
96	HME 37FT SKT 3A R	11,357	6,732		8,650	
97	HME 37FT SKT 3A O	11,357	6,732		8,650	
98	HME 38FT SKT 3A H	11,662	6,732		8,800	
99	HME 38FT SKT 3A R	11,662	6,732		8,800	
100	HME 38FT SKT 3A O	11,662	6,732		8,800	
101	HME 39FT SKT 3A H	11,966	6,731		9,050	
102	HME 39FT SKT 3A R	11,966	6,731		9,050	
103	HME 39FT SKT 3A O	11,966	6,731		9,050	


*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.
R1, R2 & R3 - Trailer Rear Axles

**** END OF DOCUMENT ****

AUTHORISED SIGNATORY


JAYWANT HARDIKAR
HEAD-CMVR




SAURABH DALELA
DIRECTOR