

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	MLX3AFB 26FT FB SA	8,120	5,900	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	6,015	R1 to R3 > 3m & R2 to R3 < 1.8m
2	MLX3AFB 26FT SKL SA	8,120	5,900		5,495	
3	MLX3AFB 26FT SW SA	8,120	5,900		6,935	
4	MLX3AFB 28FT FB SA	8,540	6,175		6,265	
5	MLX3AFB 28FT SKL SA	8,540	6,175		5,715	
6	MLX3AFB 28FT SW SA	8,540	6,175		7,165	
7	MLX3AFB 30FT FB SA	9,150	6,455		6,520	
8	MLX3AFB 30FT SKL SA	9,150	6,455		5,970	
9	MLX3AFB 30FT SW SA	9,150	6,455		7,420	
10	MLX3AFB 32FT FB SA	9,760	7,045		6,470	
11	MLX3AFB 32FT SKL SA	9,760	7,045		6,220	
12	MLX3AFB 32FT SW SA	9,760	7,045		7,440	
13	MLX3AFB 34FT FB SA	10,370	7,665		6,970	
14	MLX3AFB 34FT SKL SA	10,370	7,665		6,420	
15	MLX3AFB 34FT SW SA	10,370	7,665		7,940	
16	MLX3AFB 36FT FB SA	10,980	8,215		7,055	
17	MLX3AFB 36FT SKL SA	10,980	8,215		6,805	
18	MLX3AFB 36FT SW SA	10,980	8,215		8,255	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
19	MLX3AFB 40FT FB SA	12,300	9,105	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	7,315	R1 to R3 > 3m & R2 to R3 < 1.8m
20	MLX3AFB 40FT SKL SA	12,300	9,105		7,105	
21	MLX3AFB 40FT SW SA	12,300	9,105		8,650	
22	MLX3AFB 42FT FB SA	13,020	9,255		7,850	
23	MLX3AFB 42FT SKL SA	13,020	9,255		7,360	
24	MLX3AFB 42FT SW SA	13,020	9,255		9,050	
25	MLX3AFB 45FT FB SA	13,710	9,715		8,500	
26	MLX3AFB 45FT SKL SA	13,710	9,715		8,230	
27	MLX3AFB 45FT SW SA	13,710	9,715		9,380	
28	MLX3AFB 25FT SKL IND	7,770	4,880	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	6,195	R1 to R3 > 3m
29	MLX3AFB 25FT FB IND	7,770	4,880		5,765	
30	MLX3AFB 25FT SW IND	7,770	4,880		6,685	
31	MLX3AFB 26FT SKL IND	8,060	5,100		5,495	
32	MLX3AFB 26FT FB IND	8,060	5,100		6,015	
33	MLX3AFB 26FT SW IND	8,060	5,100		6,935	
34	MLX3AFB 28FT SKL IND	8,720	5,560		5,715	
35	MLX3AFB 28FT FB IND	8,720	5,560		6,265	
36	MLX3AFB 28FT SW IND	8,720	5,560		7,165	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
37	MLX3AFB 30FT SKL IND	9,150	5,910	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	5,970	R1 to R3 > 3m
38	MLX3AFB 30FT FB IND	9,150	5,910		6,520	
39	MLX3AFB 30FT SW IND	9,150	5,910		7,420	
40	MLX3AFB 32FT SKL IND	9,760	6,600		6,220	
41	MLX3AFB 32FT FB IND	9,760	6,600		6,470	
42	MLX3AFB 32FT SW IND	9,760	6,600		7,440	
43	MLX3AFB 34FT SKL IND	10,370	7,210		6,420	
44	MLX3AFB 34FT FB IND	10,370	7,210		6,970	
45	MLX3AFB 34FT SW IND	10,370	7,210		7,940	
46	MLX3AFB 36FT SKL IND	10,980	7,560		6,805	
47	MLX3AFB 36FT FB IND	10,980	7,560		7,055	
48	MLX3AFB 36FT SW IND	10,980	7,560		8,255	
49	MLX3AFB 40FT SKL IND	12,300	8,450		7,105	
50	MLX3AFB 40FT FB IND	12,300	8,450		7,315	
51	MLX3AFB 40FT SW IND	12,300	8,450	8,650		
52	MLX3AFB 42FT SKL IND	13,020	8,600	7,360		
53	MLX3AFB 42FT FB IND	13,020	8,600	7,850		
54	MLX3AFB 42FT SW IND	13,020	8,600	9,050		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR	Page 4 of 7

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
55	MLX3AFB 45FT SKL IND	13,710	9,060	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	8,500	R1 to R3 > 3m
56	MLX3AFB 45FT FB IND	13,710	9,060		8,320	
57	MLX3AFB 45FT SW IND	13,710	9,060		9,380	
58	MLX3AFB 25FT-500 FB TR	7,530	4,995	(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000	6,015	R1 to R3 < 3m
59	MLX3AFB 25FT-500 SKL TR	7,530	4,995		5,495	
60	MLX3AFB 25FT-500 SW TR	7,530	4,995		6,685	
61	MLX3AFB 26FT-600 FB TR	7,930	5,080		6,015	
62	MLX3AFB 26FT-600 SKL TR	7,930	5,080		5,495	
63	MLX3AFB 26FT-600 SW TR	7,930	5,080		6,935	
64	MLX3AFB 28FT-800 FB TR	8,540	5,320		6,265	
65	MLX3AFB 28FT-800 SKL TR	8,540	5,320		5,715	
66	MLX3AFB 28FT-800 SW TR	8,540	5,320		7,165	
67	MLX3AFB 30FT-850 FB TR	9,150	5,650		6,520	
68	MLX3AFB 30FT-850 SKL TR	9,150	5,650		5,970	
69	MLX3AFB 30FT-850 SW TR	9,150	5,650		7,420	
70	MLX3AFB 32FT-850 FB TR	9,760	6,240		6,470	
71	MLX3AFB 32FT-850 SKL TR	9,760	6,240		6,220	
72	MLX3AFB 32FT-850 SW TR	9,760	6,240	7,440		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY	
JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
73	MLX3AFB 34FT-750 FB TR	10,370	7,010	(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000	6,970	R1 to R3 < 3m
74	MLX3AFB 34FT-750 SKL TR	10,370	7,010		6,420	
75	MLX3AFB 34FT-750 SW TR	10,370	7,010		7,940	
76	MLX3AFB 36FT-750 FB TR	10,980	7,420		7,055	
77	MLX3AFB 36FT-750 SKL TR	10,980	7,420		6,805	
78	MLX3AFB 36FT-750 SW TR	10,980	7,420		8,255	
79	MLX3AFB 40FT-800 FB TR	12,300	8,450		7,315	
80	MLX3AFB 40FT-800 SKL TR	12,300	8,450		7,105	
81	MLX3AFB 40FT-800 SW TR	12,300	8,450		8,650	
82	MLX3AFB 42FT-820 FB TR	13,020	8,600		7,850	
83	MLX3AFB 42FT-820 SKL TR	13,020	8,600		7,360	
84	MLX3AFB 42FT-820 SW TR	13,020	8,600		9,050	
85	MLX3AFB 45FT-900 FB TR	13,710	9,060		8,280	
86	MLX3AFB 45FT-900 SKL TR	13,710	9,060		8,030	
87	MLX3AFB 45FT-900 SW TR	13,710	9,060		9,230	
88	MLX3AFB 34FT-1100 FB TR	10,370	6,600		6,970	
89	MLX3AFB 34FT-1100 SKL TR	10,370	6,600	6,420		
90	MLX3AFB 34FT-1100 SW TR	10,370	6,600	7,940		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
91	MLX3AFB 36FT-1100 FB TR	10,980	7,010	MMM - 55,000	7,055	R1 to R3 < 3m
92	MLX3AFB 36FT-1100 SKL TR	10,980	7,010		6,805	
93	MLX3AFB 36FT-1100 SW TR	10,980	7,010		8,255	
94	MLX3AFB 40FT-1150 FB TR	12,300	8,270		7,315	
95	MLX3AFB 40FT-1150 SKL TR	12,300	8,270		7,105	
96	MLX3AFB 40FT-1150 SW TR	12,300	8,270		8,650	
97	MLX3AFB 42FT-1150 FB TR	13,020	8,430		7,850	
98	MLX3AFB 42FT-1150 SKL TR	13,020	8,430		7,360	
99	MLX3AFB 42FT-1150 SW TR	13,020	8,430		9,050	
100	MLX3AFB 45FT-1150 FB TR	13,710	8,810		8,500	
101	MLX3AFB 45FT-1150 SKL TR	13,710	8,810		8,320	
102	MLX3AFB 45FT-1150 SW TR	13,710	8,810		9,380	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

**** END OF DOCUMENT ****

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR