

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	GIPL-SFB-26FBT-4X2-IA01	8,030	4,850	AMM-54,000 AAA-55,000 MAA-55,000	6,535	R1 to R3 > 3m
2	GIPL-SFB-26SKT-4X2-IA01	8,030	4,850		5,230	
3	GIPL-SFB-26SWT-4X2-IA01	8,030	4,860		6,870	
4	GIPL-SFB-28FBT-4X2-IA01	8,640	5,420		6,550	
5	GIPL-SFB-28SWT-4X2-IA01	8,640	5,420		7,050	
6	GIPL-SFB-28SWT-4X2-IA02	8,640	5,420		7,270	
7	GIPL-SFB-28SWT-4X2-IA03	8,640	5,420		7,160	
8	GIPL-SFB-30FBT-4X2-IA01	9,250	6,030		6,700	
9	GIPL-SFB-30SKT-4X2-IA01	9,250	6,030		5,900	
10	GIPL-SFB-30SWT-4X2-IA01	9,250	6,030		7,345	
11	GIPL-SFB-30SWT-4X2-IA02	9,250	6,030		7,465	
12	GIPL-SFB-30SWT-4X2-IA03	9,250	6,030		7,285	
13	GIPL-SFB-32FBT-4X2-IA01	9,900	6,680		6,850	
14	GIPL-SFB-32SWT-4X2-IA01	9,900	6,680		7,450	
15	GIPL-SFB-32SWT-4X2-IA02	9,900	6,680		7,700	
16	GIPL-SFB-32SWT-4X2-IA03	9,900	6,680		7,510	
17	GIPL-SFB-32SWT-4X2-IA04	9,900	6,680		7,575	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 2 of 8

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
18	GIPL-SFB-34SWT-4X2-IA01	10,470	6,920	AMM-54,000 AAA-55,000 MAA-55,000	7,590	R1 to R3 > 3m
19	GIPL-SFB-34SWT-4X2-IA02	10,470	6,920		7,835	
20	GIPL-SFB-34SWT-4X2-IA03	10,470	6,920		7,705	
21	GIPL-SFB-36SWT-4X2-IA01	11,100	7,550		7,750	
22	GIPL-SFB-36SWT-4X2-IA02	11,100	7,550		8,030	
23	GIPL-SFB-40SKT-4X2-IA01	12,300	7,890		6,800	
24	GIPL-SFB-40FBT-4X2-IA01	12,300	7,890		7,750	
25	GIPL-SFB-40SWT-4X2-IA01	12,300	7,890		8,250	
26	GIPL-SFB-40SWT-4X2-IA02	12,300	7,890		8,370	
27	GIPL-SFB-40SWT-4X2-IA03	12,300	7,890		8,650	
28	GIPL-SFB-26FBT-4X2-SA01	8,030	5,780	AMM - 52000 AAA - 54000	6,535	R1 to R3 > 3m & R2 to R3 < 1.8 m
29	GIPL-SFB-26SKT-4X2-SA01	8,030	5,780		5,650	
30	GIPL-SFB-26SWT-4X2-SA01	8,030	5,780		6,870	
31	GIPL-SFB-28FBT-4X2-SA01	8,640	6,290		6,550	
32	GIPL-SFB-28SWT-4X2-SA01	8,640	6,290		7,050	
33	GIPL-SFB-28SWT-4X2-SA02	8,640	6,290		7,270	
34	GIPL-SFB-28SWT-4X2-TA03	8,640	6,290		6,540	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 3 of 8

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
35	GIPL-SFB-30FBT-4X2-SA01	9,250	6,900	AMM-52,000 AAA-54,000	6,700	R1 to R3 > 3m & R2 to R3 < 1.8m
36	GIPL-SFB-30SWT-4X2-SA01	9,250	6,900		7,345	
37	GIPL-SFB-30SWT-4X2-SA02	9,250	6,900		7,465	
38	GIPL-SFB-30SWT-4X2-SA03	9,250	6,900		7,285	
39	GIPL-SFB-30SKT-4X2-SA01	9,250	6,900		5,900	
40	GIPL-SFB-32FBT-4X2-SA01	9,900	7,550		6,850	
41	GIPL-SFB-32SWT-4X2-SA01	9,900	7,550		7,450	
42	GIPL-SFB-32SWT-4X2-SA02	9,900	7,550		7,700	
43	GIPL-SFB-32SWT-4X2-SA03	9,900	7,550		7,510	
44	GIPL-SFB-32SWT-4X2-SA04	9,900	7,550		7,575	
45	GIPL-SFB-34SWT-4X2-SA01	10,470	7,575		7,590	
46	GIPL-SFB-34SWT-4X2-SA02	10,470	7,575		7,835	
47	GIPL-SFB-34SWT-4X2-SA03	10,470	7,575		7,705	
48	GIPL-SFB-36SWT-4X2-SA01	11,100	8,205		7,750	
49	GIPL-SFB-36SWT-4X2-SA02	11,100	8,205		8,030	
50	GIPL-SFB-40FBT-4X2-SA01	12,300	8,540		7,750	
51	GIPL-SFB-40SWT-4X2-SA01	12,300	8,540		8,250	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 4 of 8

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
52	GIPL-SFB-40SWT-4X2-SA02	12,300	8,540	AMM-52,000 AAA-54,000	8,370	R1 to R3 > 3m & R2 to R3 < 1.8m
53	GIPL-SFB-40SWT-4X2-SA03	12,300	8,540		8,650	
54	GIPL-SFB-40SKT-4X2-SA01	12,300	8,540		6,800	
55	GIPL-SFB-26FBT-4X2-TA01	8,030	5,030	MMM - 45,500 AAA - 48,500	6,535	R1 to R3 < 3m
56	GIPL-SFB-26SKT-4X2-TA01	8,030	5,030		5,230	
57	GIPL-SFB-26SWT-4X2-TA01	8,030	5,030		6,870	
58	GIPL-SFB-28FBT-4X2-TA01	8,640	5,640		6,550	
59	GIPL-SFB-28SWT-4X2-TA01	8,640	5,640		7,050	
60	GIPL-SFB-28SWT-4X2-TA02	8,640	5,640		7,270	
61	GIPL-SFB-28SWT-4X2-TA03	8,640	5,640		7,160	
62	GIPL-SFB-30SKT-4X2-TA01	9,250	6,250		5,900	
63	GIPL-SFB-30FBT-4X2-TA01	9,250	6,250		6,700	
64	GIPL-SFB-30SWT-4X2-TA01	9,250	6,250		7,345	
65	GIPL-SFB-30SWT-4X2-TA02	9,250	6,250		7,465	
66	GIPL-SFB-30SWT-4X2-TA03	9,250	6,250		7,285	
67	GIPL-SFB-32FBT-4X2-TA01	9,900	6,900		6,850	
68	GIPL-SFB-32SWT-4X2-TA01	9,900	6,900	7,450		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 5 of 8

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)	
69	GIPL-SFB-32SWT-4X2-TA02	9,900	6,900	MMM - 45,500 AAA - 48,500	7,700	R1 to R3 < 3m	
70	GIPL-SFB-32SWT-4X2-TA03	9,900	6,900		7,510		
71	GIPL-SFB-32SWT-4X2-TA04	9,900	6,900		7,575		
72	GIPL-SFB-34SWT-4X2-TA01	10,470	6,920		7,590		
73	GIPL-SFB-34SWT-4X2-TA02	10,470	6,920		7,835		
74	GIPL-SFB-34SWT-4X2-TA03	10,470	6,920		7,705		
75	GIPL-SFB-36SWT-4X2-TA01	11,100	7,550		7,750		
76	GIPL-SFB-36SWT-4X2-TA02	11,100	7,550		8,030		
77	GIPL-SFB-40SKT-4X2-TA01	12,300	7,890		6,800		
78	GIPL-SFB-40FBT-4X2-TA01	12,300	7,890		7,750		
79	GIPL-SFB-40SWT-4X2-TA01	12,300	7,890		8,250		
80	GIPL-SFB-40SWT-4X2-TA02	12,300	7,890		8,370		
81	GIPL-SFB-40SWT-4X2-TA03	12,300	7,890		8,650		
82	GIPL-SFB-28SWT-6X4-TA01	8,640	5,115		MMM-55000 AAA-55000		7,050
83	GIPL-SFB-28SWT-6X4-TA02	8,640	5,115				7,270
84	GIPL-SFB-28SWT-6X4-TA03	8,640	5,115	7,160			
85	GIPL-SFB-28FBT-6X4-TA01	8,640	5,115	6,550			

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR	Page 6 of 8

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
86	GIPL-SFB-30SWT-6X4-TA01	9,250	5,625	MMM-55000 AAA-55000	7,345	R1 to R3 < 3m
87	GIPL-SFB-30SWT-6X4-TA02	9,250	5,625		7,465	
88	GIPL-SFB-30SWT-6X4-TA03	9,250	5,625		7,285	
89	GIPL-SFB-30FBT-6X4-TA01	9,250	5,725		6,700	
90	GIPL-SFB-32FBT-6X4-TA01	9,900	6,375		6,850	
91	GIPL-SFB-32SWT-6X4-TA01	9,900	6,275		7,450	
92	GIPL-SFB-32SWT-6X4-TA02	9,900	6,275		7,700	
93	GIPL-SFB-32SWT-6X4-TA03	9,900	6,275		7,510	
94	GIPL-SFB-32SWT-6X4-TA04	9,900	6,275		7,575	
95	GIPL-SFB-34SWT-6X4-TA01	10,470	6,795		7,590	
96	GIPL-SFB-34SWT-6X4-TA02	10,470	6,795		7,835	
97	GIPL-SFB-34SWT-6X4-TA03	10,470	6,795		7,705	
98	GIPL-SFB-36SWT-6X4-TA01	11,100	7,425		7,750	
99	GIPL-SFB-36SWT-6X4-TA02	11,100	7,425		8,030	
100	GIPL-SFB-40SKT-6X4-TA01	12,300	7,890		6,800	
101	GIPL-SFB-40FBT-6X4-TA01	12,300	7,890		7,750	
102	GIPL-SFB-40SWT-6X4-TA01	12,300	7,890	8,250		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR	Page 7 of 8

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
103	GIPL-SFB-40SWT-6X4-TA02	12,300	7,890	MMM-55000 AAA-55000	8,370	R1 to R3 < 3m
104	GIPL-SFB-40SWT-6X4-TA03	12,300	7,890		8,650	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

END OF DOCUMENT

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR