

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	ARI 3IA FB 28 FT FB 55T	8,550	5,590	MMM - 53,000 AMM - 54,000 AAA - 55,000	6,430	R1 to R3 > 3m
2	ARI 3IA FB 28 FT SKT 55T	8,550	5,590		5,300	
3	ARI 3IA FB 28 FT SW 55T	8,550	5,590		6,800	
4	ARI 3IA FB 30 FT FB 55T	9,170	5,765		6,750	
5	ARI 3IA FB 30 FT SKT 55T	9,170	5,765		5,590	
6	ARI 3IA FB 30 FT SW 55T	9,170	5,765		7,100	
7	ARI 3IA FB 32 FT FB 55T	9,780	6,225		7,090	
8	ARI 3IA FB 32 FT SKT 55T	9,780	6,225		5,960	
9	ARI 3IA FB 32 FT SW 55T	9,780	6,225		7,460	
10	ARI 3IA FB 34 FT FB 55T	10,390	6,735		7,440	
11	ARI 3IA FB 34 FT SKT 55T	10,390	6,735		6,350	
12	ARI 3IA FB 34 FT SW 55T	10,390	6,735		7,840	
13	ARI 3IA FB 36 FT FB 55T	11,100	7,245		7,810	
14	ARI 3IA FB 36 FT SKT 55T	11,100	7,245		6,765	
15	ARI 3IA FB 36 FT SW 55T	11,100	7,245		8,480	
16	ARI 3IA FB 40 FT FB 55T	12,220	8,065		8,200	
17	ARI 3IA FB 40 FT SKT 55T	12,220	8,065		7,210	
18	ARI 3IA FB 40 FT SW 55T	12,220	8,065		9,140	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
19	ARI 3IA FB 42 FT FB 55T	12,830	8,475	MMM - 53,000 AMM - 54,000 AAA - 55,000	8,610	R1 to R3 > 3m
20	ARI 3IA FB 42 FT SKT 55T	12,830	8,475		7,685	
21	ARI 3IA FB 42 FT SW 55T	12,830	8,475		9,760	
22	ARI 3IA FB 45 FT FB 55T	13,775	9,440		9,040	
23	ARI 3IA FB 45 FT SKT 55T	13,775	9,440		8,190	
24	ARI 3IA FB 45 FT SW 55T	13,775	9,440		10,690	
25	ARI-45FT-SW-3IA	13,875	9,440		10,790	
26	ARI 2+1A FB 28 FT FB 51T	8,550	6,468		MMM - 51,000 AMM - 52,000 AAA - 54,000	
27	ARI 2+1A FB 28 FT SKT 51T	8,550	6,468	5,300		
28	ARI 2+1A FB 28 FT SW 51T	8,550	6,468	6,800		
29	ARI 2+1A FB 30 FT FB 51T	9,170	6,643	6,750		
30	ARI 2+1A FB 30 FT SKT 51T	9,170	6,643	5,590		
31	ARI 2+1A FB 30 FT SW 51T	9,170	6,643	7,100		
32	ARI 2+1A FB 32 FT FB 51T	9,780	7,103	7,090		
33	ARI 2+1A FB 32 FT SKT 51T	9,780	7,103	5,960		
34	ARI 2+1A FB 32 FT SW 51T	9,780	7,103	7,460		
35	ARI 2+1A FB 34 FT FB 51T	10,390	7,613	7,440		
36	ARI 2+1A FB 34 FT SKT 51T	10,390	7,613	6,350		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles**AUTHORISED SIGNATORY**

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 3 of 7

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
37	ARI 2+1A FB 34 FT SW 51T	10,390	7,613	MMM - 51,000 AMM - 52,000 AAA - 54,000	7,840	R1 to R3 > 3m & R2 to R3 < 1.8 m
38	ARI 2+1A FB 36 FT FB 51T	11,100	8,123		7,810	
39	ARI 2+1A FB 36 FT SKT 51T	11,100	8,123		6,765	
40	ARI 2+1A FB 36 FT SW 51T	11,100	8,123		8,480	
41	ARI 2+1A FB 40 FT FB 51T	12,220	8,943		8,200	
42	ARI 2+1A FB 40 FT SKT 51T	12,220	8,943		7,210	
43	ARI 2+1A FB 40 FT SW 51T	12,220	8,943		9,140	
44	ARI 2+1A FB 42 FT FB 51T	12,830	9,353		8,610	
45	ARI 2+1A FB 42 FT SKT 51T	12,830	9,353		7,685	
46	ARI 2+1A FB 42 FT SW 51T	12,830	9,353		9,760	
47	ARI 2+1A FB 45 FT FB 51T	13,775	10,222		9,040	
48	ARI 2+1A FB 45 FT SKT 51T	13,775	10,222		8,190	
49	ARI 2+1A FB 45 FT SW 51T	13,775	10,222		10,790	
50	ARI TRI FB 28 FT FB 45.5T	8,550	5,590		MMM - 45,500	
51	ARI TRI FB 28 FT SKT 45.5T	8,550	5,590	5,300		
52	ARI TRI FB 28 FT SW 45.5T	8,550	5,590	6,800		
53	ARI TRI FB 30 FT FB 45.5T	9,170	5,765	6,750		
54	ARI TRI FB 30 FT SKT 45.5T	9,170	5,765	5,590		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR	Page 4 of 7

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
55	ARI TRI FB 30 FT SW 45.5T	9,170	5,765	MMM - 45,500	7,100	R1 to R3 < 3m
56	ARI TRI FB 32 FT FB 45.5T	9,780	6,225		7,090	
57	ARI TRI FB 32 FT SKT 45.5T	9,780	6,225		5,960	
58	ARI TRI FB 32 FT SW 45.5T	9,780	6,225		7,460	
59	ARI TRI FB 34 FT FB 45.5T	10,390	6,735		7,440	
60	ARI TRI FB 34 FT SKT 45.5T	10,390	6,735		6,350	
61	ARI TRI FB 34 FT SW 45.5T	10,390	6,735		7,840	
62	ARI TRI FB 36 FT FB 45.5T	11,100	7,245		7,810	
63	ARI TRI FB 36 FT SKT 45.5T	11,100	7,245		6,765	
64	ARI TRI FB 36 FT SW 45.5T	11,100	7,245		8,480	
65	ARI TRI FB 40 FT FB 45.5T	12,220	8,065		8,200	
66	ARI TRI FB 40 FT SKT 45.5T	12,220	8,065		7,210	
67	ARI TRI FB 40 FT SW 45.5T	12,220	8,065		9,140	
68	ARI TRI FB 42 FT FB 45.5T	12,830	8,475		8,610	
69	ARI TRI FB 42 FT SKT 45.5T	12,830	8,475		7,685	
70	ARI TRI FB 42 FT SW 45.5T	12,830	8,475		9,760	
71	ARI TRI FB 45 FT FB 45.5T	13,775	9,440		9,040	
72	ARI TRI FB 45 FT SKT 45.5T	13,775	9,440		8,190	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR	Page 5 of 7

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
73	ARI TRI FB 45 FT SW 45.5T	13,775	9,440	MMM - 45,500	10,450	R1 to R3 < 3m
74	ARI TRI FB 28 FT FB 55T	8,550	5,590	MMM - 55,000	6,430	
75	ARI TRI FB 28 FT SKT 55T	8,550	5,590		5,300	
76	ARI TRI FB 28 FT SW 55T	8,550	5,590		6,800	
77	ARI TRI FB 30 FT FB 55T	9,170	5,765		6,750	
78	ARI TRI FB 30 FT SKT 55T	9,170	5,765		5,590	
79	ARI TRI FB 30 FT SW 55T	9,170	5,765		7,100	
80	ARI TRI FB 32 FT FB 55T	9,780	6,225		7,090	
81	ARI TRI FB 32 FT SKT 55T	9,780	6,225		5,960	
82	ARI TRI FB 32 FT SW 55T	9,780	6,225		7,460	
83	ARI TRI FB 34 FT FB 55T	10,390	6,735		7,440	
84	ARI TRI FB 34 FT SKT 55T	10,390	6,735		6,350	
85	ARI TRI FB 34 FT SW 55T	10,390	6,735		7,840	
86	ARI TRI FB 36 FT FB 55T	11,100	7,245		7,810	
87	ARI TRI FB 36 FT SKT 55T	11,100	7,245		6,765	
88	ARI TRI FB 36 FT SW 55T	11,100	7,245		8,480	
89	ARI TRI FB 40 FT FB 55T	12,220	8,065		8,200	
90	ARI TRI FB 40 FT SKT 55T	12,220	8,065		7,210	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
91	ARI TRI FB 40 FT SW 55T	12,220	8,065	MMM - 55,000	9,140	R1 to R3 < 3m
92	ARI TRI FB 42 FT FB 55T	12,830	8,475		8,610	
93	ARI TRI FB 42 FT SKT 55T	12,830	8,475		7,685	
94	ARI TRI FB 42 FT SW 55T	12,830	8,475		9,760	
95	ARI TRI FB 45 FT FB 55T	13,775	9,440		9,040	
96	ARI TRI FB 45 FT SKT 55T	13,775	9,440		8,190	
97	ARI TRI FB 45 FT SW 55T	13,775	9,440		10,450	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

**** END OF DOCUMENT ****

AUTHORISED SIGNATORY			
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 7 of 7