

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	GKE 28FT SFB 5880 1+2A	8,540	5,880	MMM - 51,000 AMM - 52,000 AAA - 54,000	6,800	R1 to R3 > 3m & R2 to R3 < 1.8m
2	GKE SW 28FT SFB 5880 1+2A	8,540	5,880		7,600	
3	GKE 32FT SFB 6950 1+2A	9,760	6,950		7,200	
4	GKE SW 32FT SFB 6950 1+2A	9,760	6,950		8,000	
5	GKE 34FT SFB 7220 1+2A	10,370	7,220		7,600	
6	GKE SW 34FT SFB 7220 1+2A	10,370	7,220		8,500	
7	GKE 36FT SFB 7675 1+2A	10,975	7,675		8,000	
8	GKE SW 36FT SFB 7675 1+2A	10,975	7,675		8,850	
9	GKE 40FT SFB 8692 1+2A	12,298	8,692		8,400	
10	GKE SW 40FT SFB 8692 1+2A	12,298	8,692		9,200	
11	GKE 42FT SFB 8850 1+2A	12,800	8,850		8,600	
12	GKE 45FT SFB 9750 1+2A	13,800	9,750		8,900	
13	GKE SW 45FT SFB 9750 1+2A	13,800	9,750		9,800	
14	GKE SW 50FT SFB 9630 1+2A	15,280	9,630		7,460	
15	GKE SW 45FT SFB 9326 IA	13,826	9,326	MMM - 53,000 AMM - 54,000 AAA - 55,000	9,800	R1 to R3 > 3m
16	GKE 28FT SFB 5500 IA	8,540	5,500		6,800	
17	GKE SW 28FT SFB 5500 IA	8,540	5,500		7,600	
18	GKE 30FT SFB 5750 IA	9,150	5,750		6,100	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY	
JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)		
19	GKE SW 30FT SFB 5750 IA	9,150	5,750	MMM - 53,000 AMM - 54,000 AAA - 55,000	6,800	R1 to R3 > 3m		
20	GKE 32FT SFB 6310 IA	9,760	6,310		7,200			
21	GKE SW 32FT SFB 6310 IA	9,760	6,310		7,000			
22	GKE 34FT SFB 6870 IA	10,370	6,870		7,800			
23	GKE SW 34FT SFB 6870 IA	10,370	6,870		8,500			
24	GKE 36FT SFB 7015 IA	10,975	7,015		8,000			
25	GKE SW 36FT SFB 7015 IA	10,975	7,015		8,850			
26	GKE 40FT SFB 8138 IA	12,298	8,138		8,400			
27	GKE SW 40FT SFB 8138 IA	12,298	8,138		9,200			
28	GKE 42FT SFB 8500 IA	12,800	8,500		8,600			
29	GKE 45FT SFB 9326 IA	13,826	9,326		8,900			
30	GKE 45FT SFB 8985 3A	13,826	8,985		MMM - 55,000		8,900	R1 to R3 < 3m
31	GKE SW 45FT SFB 8985 3A	13,826	8,985				9,800	
32	GKE 24FT SFB 4625 3A	7,320	4,625	MMM - 45,500 AAA - 48,500 MMM - 55,000	6,400			
33	GKE SW 24FT SFB 4625 3A	7,320	4,625		7,100			
34	GKE 26FT SFB 4920 3A	7,930	4,920		6,600			
35	GKE SW 26FT SFB 4920 3A	7,930	4,920		7,300			
36	GKE 28FT SFB 5680 3A	8,540	5,680		6,800			

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles
AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 3 of 5

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
37	GKE 28FT SFB 4795 3A	8,540	4,795	MMM - 55,000	6,800	R1 to R3 < 3m
38	GKE SW 28FT SFB 4795 3A	8,540	4,795		7,600	
39	GKE SW 28FT SFB 5680 3A	8,540	5,680	MMM - 45,500 AAA - 48,500 MMM - 55,000	7,600	
40	GKE 30FT SFB 5750 3A	9,150	5,750		7,000	
41	GKE SW 30FT SFB 5750 3A	9,150	5,750		7,800	
42	GKE 30FT SFB 5475 3A	9,150	5,475	MMM - 55,000	7,000	
43	GKE SW 30FT SFB 5475 3A	9,150	5,475		7,800	
44	GKE 32FT SFB 6310 3A	9,760	6,310	MMM - 45,500 AAA - 48,500 MMM - 55,000	7,200	
45	GKE SW 32FT SFB 6310 3A	9,760	6,310		8,000	
46	GKE 32FT SFB 5580 3A	9,760	5,580		MMM - 55,000	
47	GKE SW 32FT SFB 5580 3A	9,760	5,580	8,000		
48	GKE 34FT SFB 6870 3A	10,370	6,870	MMM - 45,500 AAA - 48,500 MMM - 55,000	7,600	
49	GKE SW 34FT SFB 6870 3A	10,370	6,870		8,500	
50	GKE 34FT SFB 6595 3A	10,370	6,595	MMM - 55,000	7,600	
51	GKE 34FT SW SFB 6595 3A	10,370	6,595		8,500	
52	GKE 36FT SFB 7015 3A	10,975	7,015	MMM - 45,500 AAA - 48,500 MMM - 55,000	8,000	
53	GKE SW 36FT SFB 7015 3A	10,975	7,015		8,850	
54	GKE 36FT SFB 6475 3A	10,975	6,475	MMM - 55,000	8,000	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
55	GKE SW 36FT SFB 6475 3A	10,975	6,475	MMM - 55,000	8,850	R1 to R3 < 3m
56	GKE SKL 40FT SFB 8138 3A	12,298	8,138	MMM - 45,500 AAA - 48,500 MMM - 55,000	7,400	
57	GKE 40FT SFB 8138 3A	12,298	8,138		8,400	
58	GKE SW 40FT SFB 8138 3A	12,298	8,138		9,200	
59	GKE SKL 40FT SFB 8523 3A	12,298	8,523	MMM - 55,000	7,400	
60	GKE 40FT SFB 8523 3A	12,298	8,523		8,400	
61	GKE SW 40FT SFB 8523 3A	12,298	8,523		9,200	
62	GKE 42FT SFB 8428 3A	12,800	8,428		8,600	
63	GKE 42FT SFB 8500 3A	12,800	8,500	MMM - 45,500 AAA - 48,500 MMM - 55,000	8,600	
64	GKE SKL 45FT SFB 9326 3A	13,826	9,326		7,850	
65	GKE 45FT SFB 9326 3A	13,826	9,326		8,900	
66	GKE SW 45FT SFB 9326 3A	13,826	9,326		9,800	
67	GKE 50FT SFB 9300 3A	15,362	9,300	MMM - 45,500 AAA - 48,500	9,500	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.
R1, R2 & R3 - Trailer Rear Axles

****END OF DOCUMENT****

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR