

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	GIPL-STT-25STT-4X2-TA01	8,215	5,300	MMM - 45500 AAA - 48500	8,450	R1 to R3 < 3m
2	GIPL-STT-28STT-4X2-TA01	8,100	4,960		8,900	
3	GIPL-STT-30STT-4X2-TA01	8,545	5,380		9,150	
4	GIPL-STT-32STT-4X2-TA01	8,545	5,360		9,400	
5	GIPL-STT-32STT-4X2-TA02	8,265	5,125		8,700	
6	GIPL-STT-34STT-4X2-TA01	9,855	6,590		9,700	
7	GIPL-STT-34STT-4X2-TA02	8,565	5,420		8,900	
8	GIPL-STT-36STT-4X2-TA01	9,855	6,590		9,950	
9	GIPL-STT-36STT-4X2-TA02	8,880	5,735		9,000	
10	GIPL-STT-40STT-4X2-TA01	9,855	6,590		10,200	
11	GIPL-STT-45STT-4X2-TA01	10,565	7,200		11,000	
12	GIPL-STT-25STT-6X4-TA01	8,215	5,125	MMM - 55000 AAA - 55000	8,750	
13	GIPL-STT-28STT-6X4-TA01	8,100	4,960		8,900	
14	GIPL-STT-30STT-6X4-TA01	8,545	5,130		9,150	
15	GIPL-STT-32STT-6X4-TA01	8,545	5,130		9,400	
16	GIPL-STT-32STT-6X4-TA02	8,265	5,125		8,700	
17	GIPL-STT-34STT-6X4-TA01	9,855	6,290		9,700	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR	Page 2 of 4

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
18	GIPL-STT-34STT-6X4-TA02	8,565	5,420	MMM - 55000 AAA - 55000	8,900	R1 to R3 < 3m
19	GIPL-STT-36STT-6X4-TA01	9,855	6,290		9,950	
20	GIPL-STT-36STT-6X4-TA02	8,880	5,735		9,000	
21	GIPL-STT-40STT-6X4-TA01	9,855	6,290		10,200	
22	GIPL-STT-45STT-6X4-TA01	10,565	6,950		11,000	
23	GIPL-STT-45STT-6X4-TA02	10,565	7,200		10,905	
24	GIPL-STT-25STT-4X2-IA01	8,215	5,090	AMM - 54000 AAA - 55000 MAA - 55000	8,450	R1 to R3 > 3m
25	GIPL-STT-28STT-4X2-IA01	8,215	5,090		8,900	
26	GIPL-STT-30STT-4X2-IA01	8,545	5,220		9,150	
27	GIPL-STT-32STT-4X2-IA01	8,545	5,220		9,400	
28	GIPL-STT-32STT-4X2-IA02	8,265	4,965		8,700	
29	GIPL-STT-34STT-4X2-IA01	9,855	6,430		9,700	
30	GIPL-STT-34STT-4X2-IA02	8,565	5,265		8,900	
31	GIPL-STT-36STT-4X2-IA01	9,855	6,430		9,950	
32	GIPL-STT-36STT-4X2-IA02	8,880	5,580		9,000	
33	GIPL-STT-40STT-4X2-IA01	9,855	6,430		10,200	
34	GIPL-STT-45STT-4X2-IA01	10,565	7,040		11,000	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 3 of 4

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
35	GIPL-STT-25STT-4X2-SA01	8,215	5,970	AMM-52,000 AAA-54,000	8,450	R1 to R3 > 3m & R2 to R3 < 1.8m
36	GIPL-STT-28STT-4X2-SA01	8,215	5,970		8,900	
37	GIPL-STT-30STT-4X2-SA01	8,545	6,085		9,150	
38	GIPL-STT-32STT-4X2-SA01	8,545	6,085		9,400	
39	GIPL-STT-32STT-4X2-SA02	8,265	5,795		8,700	
40	GIPL-STT-34STT-4X2-SA01	9,855	7,295		9,700	
41	GIPL-STT-34STT-4X2-SA02	8,565	6,095		8,950	
42	GIPL-STT-36STT-4X2-SA01	9,855	7,295		9,950	
43	GIPL-STT-36STT-4X2-SA02	8,880	6,410		9,050	
44	GIPL-STT-40STT-4X2-SA01	9,855	7,295		10,200	
45	GIPL-STT-45STT-4X2-SA01	10,565	7,905		11,000	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

END OF DOCUMENT

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR