

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	PEG-3FB-26FT-SKT-3A-900FOH	8,200	5,050	(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000 (4) AAA - 55,000	5,700	R1 to R3 < 3m
2	PEG-3FB-26FT-FBT-3A-900FOH	8,200	5,050		6,250	
3	PEG-3FB-26FT-SBT-3A-900FOH	8,200	5,050		6,900	
4	PEG-3FB-28FT-FBT-3A-750FOH	8,740	5,670		6,400	
5	PEG-3FB-28FT-SBT-3A-750FOH	8,740	5,670		7,050	
6	PEG-3FB-30FT-SKT-3A-700FOH	9,350	6,300		5,900	
7	PEG-3FB-30FT-FBT-3A-700FOH	9,350	6,300		6,550	
8	PEG-3FB-30FT-SBT-3A-700FOH	9,350	6,300		7,350	
9	PEG-3FB-32FT-FBT-3A-750FOH	9,800	6,850		6,800	
10	PEG-3FB-32FT-SBT-3A-750FOH	9,800	6,850		7,550	
11	PEG-3FB-34FT-FBT-3A-750FOH	10,370	6,920		6,950	
12	PEG-3FB-34FT-SBT-3A-750FOH	10,370	6,920		7,800	
13	PEG-3FB-36FT-FBT-3A-750FOH	11,000	7,550		7,200	
14	PEG-3FB-36FT-SBT-3A-750FOH	11,000	7,550		8,050	
15	PEG-3FB-40FT-SKT-3A-750FOH	12,300	7,950		6,400	
16	PEG-3FB-40FT-FBT-3A-750FOH	12,300	7,950		7,450	
17	PEG-3FB-40FT-SBT-3A-750FOH	12,300	7,950		8,550	
18	PEG-3FB-45FT-SKT-3A-1165FOH	13,820	9,055		6,600	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY	
JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)	
19	PEG-3FB-45FT-FBT-3A-1165FOH	13,820	9,055	(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000 (4) AAA - 55,000	7,050	R1 to R3 < 3m	
20	PEG-3FB-28FT-SBT-3A-1275FOH	8,610	5,050	(1) MMM - 55,000 (2) AAA - 55,000	7,050		
21	PEG-3FB-30FT-SBT-3A-1275FOH	9,300	5,625		7,350		
22	PEG-3FB-32FT-SBT-3A-1275FOH	9,800	6,275		7,550		
23	PEG-3FB-34FT-FBT-3A-1275FOH	10,370	6,795		6,950		
24	PEG-3FB-34FT-SBT-3A-1275FOH	10,370	6,795		7,800		
25	PEG-3FB-36FT-SBT-3A-1275FOH	11,000	7,425		8,050		
26	PEG-3FB-40FT-SKT-3A-1275FOH	12,300	8,325		6,400		
27	PEG-3FB-40FT-FBT-3A-1275FOH	12,300	8,325		7,450		
28	PEG-3FB-40FT-SBT-3A-1275FOH	12,300	8,325		8,550		
29	PEG-3FB-45FT-SKT-3A-1275FOH	13,820	8,980		6,600		
30	PEG-3FB-45FT-FBT-3A-1275FOH	13,820	8,980		7,930		
31	PEG-3FB-45FT-SBT-3A-1275FOH	13,820	8,980		9,150		
32	PEG-3FB-41FT-SKT-3A-750FOH	12,600	8,250		(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000 (4) AAA - 55,000		6,450
33	PEG-3FB-41FT-FBT-3A-750FOH	12,600	8,250				7,520
34	PEG-3FB-41FT-SBT-3A-750FOH	12,600	8,250	8,670			
35	PEG-3FB-42FT-SKT-3A-750FOH	12,900	8,550	6,500			

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY	
JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
36	PEG-3FB-42FT-FBT-3A-750FOH	12,900	8,550	(1) MMM - 45,500 (2) AAA - 48,500 (3) MMM - 55,000 (4) AAA - 55,000	7,600	R1 to R3 < 3m
37	PEG-3FB-42FT-SBT-3A-750FOH	12,900	8,550		8,800	
38	PEG-3FB-43FT-SKT-3A-750FOH	13,200	8,850		6,550	
39	PEG-3FB-43FT-FBT-3A-750FOH	13,200	8,850		7,680	
40	PEG-3FB-43FT-SBT-3A-750FOH	13,200	8,850		8,930	
41	PEG-3FB-28FT-FBT-2+1A	8,540	6,150	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	6,300	R1 to R3 > 3m & R2 to R3 < 1.8m
42	PEG-3FB-28FT-SBT-2+1A	8,540	6,150		6,950	
43	PEG-3FB-30FT-FBT-2+1A	9,150	6,550		6,450	
44	PEG-3FB-30FT-SBT-2+1A	9,150	6,550		7,250	
45	PEG-3FB-32FT-FBT-2+1A	9,800	7,050		6,800	
46	PEG-3FB-32FT-SBT-2+1A	9,800	7,050		7,550	
47	PEG-3FB-34FT-FBT-2+1A	10,370	7,350		6,950	
48	PEG-3FB-34FT-SBT-2+1A	10,370	7,350		7,800	
49	PEG-3FB-36FT-FBT-2+1A	11,000	8,050		7,200	
50	PEG-3FB-36FT-SBT-2+1A	11,000	8,050		8,050	
51	PEG-3FB-40FT-SKT-2+1A	12,300	9,050		6,400	
52	PEG-3FB-40FT-FBT-2+1A	12,300	9,050		7,450	
53	PEG-3FB-40FT-SBT-2+1A	12,300	9,050		8,550	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR	Page 4 of 8

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)		
54	PEG-3FB-45FT-SKT-2+1A	13,820	9,750	(1) MMM - 51,000 (2) AMM - 52,000 (3) AAA - 54,000	6,600	R1 to R3 > 3m & R2 to R3 < 1.8m		
55	PEG-3FB-45FT-FBT-2+1A	13,820	9,790		7,930			
56	PEG-3FB-45FT-SBT-2+1A	13,820	9,750		9,150			
57	PEG-3FB-41FT-SKT-2+1A	12,600	9,100		6,450			
58	PEG-3FB-41FT-FBT-2+1A	12,600	9,100		7,520			
59	PEG-3FB-41FT-SBT-2+1A	12,600	9,100		8,670			
60	PEG-3FB-42FT-SKT-2+1A	12,900	9,200		6,500			
61	PEG-3FB-42FT-FBT-2+1A	12,900	9,200		7,600			
62	PEG-3FB-42FT-SBT-2+1A	12,900	9,200		8,800			
63	PEG-3FB-43FT-SKT-2+1A	13,200	9,500		6,550			
64	PEG-3FB-43FT-FBT-2+1A	13,200	9,500		7,680			
65	PEG-3FB-43FT-SBT-2+1A	13,200	9,500		8,930			
66	PEG-3FB-28FT-FBT-3IA	8,540	5,350		(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000		6,300	R1 to R3 > 3m
67	PEG-3FB-28FT-SBT-3IA	8,540	5,350				6,950	
68	PEG-3FB-30FT-FBT-3IA	9,150	5,950				6,450	
69	PEG-3FB-30FT-SBT-3IA	9,150	5,950	7,250				
70	PEG-3FB-32FT-FBT-3IA	9,800	6,600	6,800				
71	PEG-3FB-32FT-SBT-3IA	9,800	6,600	7,550				

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY	
JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
72	PEG-3FB-34FT-FBT-3IA	10,370	6,920	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	6,950	R1 to R3 > 3m
73	PEG-3FB-34FT-SBT-3IA	10,370	6,920		7,800	
74	PEG-3FB-36FT-FBT-3IA	11,000	7,550		7,200	
75	PEG-3FB-36FT-SBT-3IA	11,000	7,550		8,050	
76	PEG-3FB-40FT-SKT-3IA	12,300	8,050		6,400	
77	PEG-3FB-40FT-FBT-3IA	12,300	8,050		7,450	
78	PEG-3FB-40FT-SBT-3IA	12,300	8,050		8,550	
79	PEG-3FB-45FT-SKT-3IA	13,820	9,055		6,600	
80	PEG-3FB-45FT-FBT-3IA	13,820	9,055		7,930	
81	PEG-3FB-45FT-SBT-3IA	13,820	9,055		9,150	
82	PEG-3FB-41FT-SKT-3IA	12,600	8,250		6,450	
83	PEG-3FB-41FT-FBT-3IA	12,600	8,250		7,520	
84	PEG-3FB-41FT-SBT-3IA	12,600	8,250		8,670	
85	PEG-3FB-42FT-SKT-3IA	12,900	8,550		6,500	
86	PEG-3FB-42FT-FBT-3IA	12,900	8,550		7,600	
87	PEG-3FB-42FT-SBT-3IA	12,900	8,550		8,800	
88	PEG-3FB-43FT-SKT-3IA	13,200	8,850	6,550		
89	PEG-3FB-43FT-FBT-3IA	13,200	8,850	7,680		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY	
JAYWANT HARDIKAR HEAD-CMVR	SAURABH DALELA DIRECTOR

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
90	PEG-3FB-43FT-SBT-3IA	13,200	8,850	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	8,930	R1 to R3 > 3m
91	PEG-3FB-28FT-FBT-3IA-1.8M AS	8,540	5,070		6,300	
92	PEG-3FB-28FT-SBT-3IA-1.8M AS	8,540	5,070		6,950	
93	PEG-3FB-30FT-FBT-3IA-1.8M AS	9,150	5,680		6,450	
94	PEG-3FB-30FT-SBT-3IA-1.8M AS	9,150	5,680		7,250	
95	PEG-3FB-32FT-FBT-3IA-1.8M AS	9,800	6,320		6,800	
96	PEG-3FB-32FT-SBT-3IA-1.8M AS	9,800	6,320		7,550	
97	PEG-3FB-34FT-FBT-3IA-1.8M AS	10,370	6,880		6,950	
98	PEG-3FB-34FT-SBT-3IA-1.8M AS	10,370	6,880		7,800	
99	PEG-3FB-36FT-FBT-3IA-1.8M AS	11,000	7,500		7,200	
100	PEG-3FB-36FT-SBT-3IA-1.8M AS	11,000	7,500		8,050	
101	PEG-3FB-40FT-SKT-3IA-1.8M AS	12,300	8,340		6,400	
102	PEG-3FB-40FT-FBT-3IA-1.8M AS	12,300	8,340		7,450	
103	PEG-3FB-40FT-SBT-3IA-1.8M AS	12,300	8,340		8,550	
104	PEG-3FB-45FT-SKT-3IA-1.8M AS	13,820	9,140		6,600	
105	PEG-3FB-45FT-FBT-3IA-1.8M AS	13,820	9,140		7,930	
106	PEG-3FB-45FT-SBT-3IA-1.8M AS	13,820	9,140		9,150	
107	PEG-3FB-41FT-SKT-3IA-1.8M AS	12,600	8,540	6,450		

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

AUTHORISED SIGNATORY

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 7 of 8

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
108	PEG-3FB-41FT-FBT-3IA-1.8M AS	12,600	8,540	(1) MMM - 53,000 (2) AMM - 54,000 (3) AAA - 55,000	7,520	R1 to R3 > 3m
109	PEG-3FB-41FT-SBT-3IA-1.8M AS	12,600	8,540		8,670	
110	PEG-3FB-42FT-SKT-3IA-1.8M AS	12,900	8,840		6,500	
111	PEG-3FB-42FT-FBT-3IA-1.8M AS	12,900	8,840		7,600	
112	PEG-3FB-42FT-SBT-3IA-1.8M AS	12,900	8,840		8,800	
113	PEG-3FB-43FT-SKT-3IA-1.8M AS	13,200	9,140		6,550	
114	PEG-3FB-43FT-FBT-3IA-1.8M AS	13,200	9,140		7,680	
115	PEG-3FB-43FT-SBT-3IA-1.8M AS	13,200	9,140		8,930	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles

**** END OF DOCUMENT ****

AUTHORISED SIGNATORY		
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR