

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	SAW-3FB-3A-26FT-FBT	7,940	5,090	(1) MMM - 45,500 (2) MMM - 55,000	5,010	R1 to R3 < 3m
2	SAW-3FB-3A-26FT-SBT	7,940	5,090		6,095	
3	SAW-3FB-3A-26FT-SKT	7,940	5,090		4,920	
4	SAW-3FB-3A-28FT-FBT	8,555	5,270		5,220	
5	SAW-3FB-3A-28FT-SBT	8,555	5,270		6,390	
6	SAW-3FB-3A-30FT-FBT	9,160	5,760		5,640	
7	SAW-3FB-3A-30FT-SBT	9,160	5,760		6,730	
8	SAW-3FB-3A-32FT-FBT	9,755	6,350		6,040	
9	SAW-3FB-3A-32FT-SBT	9,755	6,350		7,020	
10	SAW-3FB-3A-34FT-FBT	10,370	6,750		6,400	
11	SAW-3FB-3A-34FT-SBT	10,370	6,750		7,370	
12	SAW-3FB-3A-36FT-FBT	11,000	7,210		6,610	
13	SAW-3FB-3A-36FT-SBT	11,000	7,210		7,615	
14	SAW-3FB-3A-38FT-FBT	11,550	7,540		6,820	
15	SAW-3FB-3A-38FT-SBT	11,550	7,540		7,815	
16	SAW-3FB-3A-40FT-FBT	12,230	7,950		7,000	
17	SAW-3FB-3A-40FT-SBT	12,230	7,950		8,110	
18	SAW-3FB-3A-40FT-SKT	12,230	7,950		6,870	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles**AUTHORISED SIGNATORY**

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 2 of 4

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
19	SAW-3FB-2+1A-26FT-FBT	7,940	5,850	(1) MMM - 51000 (2) AMM - 52000 (3) AAA - 54000	5,120	R1 to R3 > 3m & R2 to R3 < 1.8m
20	SAW-3FB-2+1A-26FT-SBT	7,940	5,850		6,295	
21	SAW-3FB-2+1A-26FT-SKT	7,940	5,610		5,120	
22	SAW-3FB-2+1A-28FT-FBT	8,555	5,850		5,420	
23	SAW-3FB-2+1A-28FT-SBT	8,555	5,850		6,590	
24	SAW-3FB-2+1A-30FT-FBT	9,160	6,340		5,840	
25	SAW-3FB-2+1A-30FT-SBT	9,160	6,340		6,930	
26	SAW-3FB-2+1A-32FT-FBT	9,755	6,930		6,240	
27	SAW-3FB-2+1A-32FT-SBT	9,755	6,930		7,220	
28	SAW-3FB-2+1A-34FT-FBT	10,370	7,330		6,600	
29	SAW-3FB-2+1A-34FT-SBT	10,370	7,330		7,570	
30	SAW-3FB-2+1A-36FT-FBT	11,000	7,790		6,810	
31	SAW-3FB-2+1A-36FT-SBT	11,000	7,790		7,815	
32	SAW-3FB-2+1A-38FT-FBT	11,550	8,120		7,020	
33	SAW-3FB-2+1A-38FT-SBT	11,550	8,120		8,015	
34	SAW-3FB-2+1A-40FT-FBT	12,230	8,530		7,200	
35	SAW-3FB-2+1A-40FT-SBT	12,230	8,530		8,310	
36	SAW-3FB-2+1A-40FT-SKT	12,230	8,530		7,070	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles**AUTHORISED SIGNATORY**

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 3 of 4

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
37	SAW-3FB-3IA-26FT-FBT	7,940	5,090	(1) MMM - 53000 (2) AMM - 54000 (3) AAA - 55000	5,210	R1 to R3 > 3m
38	SAW-3FB-3IA-26FT-SBT	7,940	5,090		6,295	
39	SAW-3FB-3IA-26FT-SKT	7,940	5,090		5,120	
40	SAW-3FB-3IA-28FT-FBT	8,555	5,270		5,420	
41	SAW-3FB-3IA-28FT-SBT	8,555	5,270		6,590	
42	SAW-3FB-3IA-30FT-FBT	9,160	5,760		5,840	
43	SAW-3FB-3IA-30FT-SBT	9,160	5,760		6,930	
44	SAW-3FB-3IA-32FT-FBT	9,755	6,350		6,240	
45	SAW-3FB-3IA-32FT-SBT	9,755	6,350		7,220	
46	SAW-3FB-3IA-34FT-FBT	10,370	6,750		6,600	
47	SAW-3FB-3IA-34FT-SBT	10,370	6,750		7,570	
48	SAW-3FB-3IA-36FT-FBT	11,000	7,210		6,810	
49	SAW-3FB-3IA-36FT-SBT	11,000	7,210		7,815	
50	SAW-3FB-3IA-38FT-FBT	11,550	7,540		7,020	
51	SAW-3FB-3IA-38FT-SBT	11,550	7,540		8,015	
52	SAW-3FB-3IA-40FT-FBT	12,230	7,950		7,200	
53	SAW-3FB-3IA-40FT-SBT	12,230	7,950		8,310	
54	SAW-3FB-3IA-40FT-SKT	12,230	7,950		7,070	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles**AUTHORISED SIGNATORY**

JAYWANT HARDIKAR HEAD-CMR		SAURABH DALELA DIRECTOR	Page 4 of 4