

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
1	ARI 2+1A 28CUM TT 55T	9,230	6,590	MMM - 51,000 AMM - 52,000 AAA - 54,000	9,450	R1 to R3 > 3m & R2 to R3 < 1.8m
2	ARI 2+1A 30CUM TT 55T	9,230	6,590		9,995	
3	ARI 2+1A 32CUM TT 55T	9,230	6,590		10,595	
4	ARI 2+1A 34CUM TT 55T	9,230	6,590		11,240	
5	ARI 2+1A 36CUM TT 55T	10,583	7,943		11,340	
6	ARI 2+1A 38CUM TT 55T	10,583	7,943		11,835	
7	ARI 2+1A 40CUM TT 55T	10,583	7,943		12,385	
8	ARI 2+1A 28CUM FE TT 55T	9,368	6,568		9,450	
9	ARI 2+1A 30CUM FE TT 55T	9,368	6,568		9,995	
10	ARI 2+1A 32CUM FE TT 55T	9,368	6,568		10,595	
11	ARI 2+1A 34CUM FE TT 55T	9,368	6,568		11,240	
12	ARI 2+1A 36CUM FE TT 55T	10,718	7,568		11,340	
13	ARI 2+1A 38CUM FE TT 55T	10,718	7,568		11,835	
14	ARI 2+1A 40CUM FE TT 55T	10,718	7,568		12,385	
15	ARI-34CUM-TT-2+1A	9,230	6,590		11,070	
16	ARI 3IA 28CUM TT 55T	9,230	5,702	MMM - 53,000 AMM - 54,000 AAA - 55,000	9,450	R1 to R3 > 3m
17	ARI 3IA 30CUM TT 55T	9,230	5,702		9,995	
18	ARI 3IA 32CUM TT 55T	9,230	5,702		10,595	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles**AUTHORISED SIGNATORY**

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 2 of 5

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
19	ARI 3IA 34CUM TT 55T	9,230	5,702	MMM - 53,000 AMM - 54,000 AAA - 55,000	11,240	R1 to R3 > 3m
20	ARI 3IA 36CUM TT 55T	10,583	7,055		11,340	
21	ARI 3IA 38CUM TT 55T	10,583	7,055		11,835	
22	ARI 3IA 40CUM TT 55T	10,583	7,055		12,385	
23	ARI 3IA 28CUM FE TT 55T	9,368	5,538		9,450	
24	ARI 3IA 30CUM FE TT 55T	9,368	5,538		9,995	
25	ARI 3IA 32CUM FE TT 55T	9,368	5,538		10,595	
26	ARI 3IA 34CUM FE TT 55T	9,368	5,538		11,240	
27	ARI 3IA 36CUM FE TT 55T	10,718	6,638		11,340	
28	ARI 3IA 38CUM FE TT 55T	10,718	6,638		11,835	
29	ARI 3IA 40CUM FE TT 55T	10,718	6,638		12,385	
30	ARI TRI 28CUM TT 55T	9,230	5,152	MMM - 55,000	9,850	R1 to R3 < 3m
31	ARI TRI 30CUM TT 55T	9,230	5,152		9,950	
32	ARI TRI 32CUM TT 55T	9,230	5,152		10,200	
33	ARI TRI 34CUM TT 55T	9,230	5,152		10,595	
34	ARI TRI 36CUM TT 55T	10,583	6,505		11,240	
35	ARI TRI 38CUM TT 55T	10,583	6,505		11,340	
36	ARI TRI 40CUM TT 55T	10,583	6,505		11,835	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles**AUTHORISED SIGNATORY**

JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 3 of 5

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
37	ARI TRI 28CUM TT 45.5T	9,230	5,702	MMM - 45,500	9,850	R1 to R3 < 3m
38	ARI TRI 30CUM TT 45.5T	9,230	5,702		9,950	
39	ARI TRI 32CUM TT 45.5T	9,230	5,702		10,200	
40	ARI TRI 34CUM TT 45.5T	9,230	5,702		10,595	
41	ARI TRI 36CUM TT 45.5T	10,583	7,055		11,240	
42	ARI TRI 38CUM TT 45.5T	10,583	7,055		11,340	
43	ARI TRI 40CUM TT 45.5T	10,583	7,055		11,835	
44	ARI TRI 28CUM FE TT 55T	9,368	5,188	MMM - 55,000	9,850	
45	ARI TRI 30CUM FE TT 55T	9,368	5,188		9,950	
46	ARI TRI 32CUM FE TT 55T	9,368	5,188		10,200	
47	ARI TRI 34CUM FE TT 55T	9,368	5,188		10,595	
48	ARI TRI 36CUM FE TT 55T	10,718	6,288		11,240	
49	ARI TRI 38CUM FE TT 55T	10,718	6,288		11,340	
50	ARI TRI 40CUM FE TT 55T	10,718	6,288		11,835	
51	ARI TRI 28CUM FE TT 45.5T	9,368	5,738	MMM - 45,500	9,850	
52	ARI TRI 30CUM FE TT 45.5T	9,368	5,738		9,950	
53	ARI TRI 32CUM FE TT 45.5T	9,368	5,738		10,200	
54	ARI TRI 34CUM FE TT 45.5T	9,368	5,738		10,595	

*A-Air, M-Mechanical, 1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt. 16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.

R1, R2 & R3 - Trailer Rear Axles**AUTHORISED SIGNATORY**

JAYWANT HARDIKAR HEAD-CMR		SAURABH DALELA DIRECTOR	Page 4 of 5

ANNEXURE - I

Sr. No.	Trailer Nomenclature	Overall Length (mm)	Wheel-base (mm)	Suspension Type* & GCW (kg)	Unladen weight of trailer (kg)	Axle Spacing (m)
55	ARI TRI 36CUM FE TT 45.5T	10,718	6,838	MMM - 45,500	11,240	R1 to R3 < 3m
56	ARI TRI 38CUM FE TT 45.5T	10,718	6,838		11,340	
57	ARI TRI 40CUM FE TT 45.5T	10,718	6,838		11,835	
*A-Air,M-Mechanical,1 tonne extra load is permitted for each axle fitted with pneumatic suspension as per S.O. 3467(E) dt.16th July, 2018, with S.O. 3881(E) dt. 06th August, 2018.						
R1, R2 & R3 - Trailer Rear Axles						
** END OF DOCUMENT **						

AUTHORISED SIGNATORY			
JAYWANT HARDIKAR HEAD-CMVR		SAURABH DALELA DIRECTOR	Page 5 of 5